

United States Patent and Trademark Office



UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/615,347	07/09/2003	Anssi Liuhto	60279.00057	8710	
32294 75	90 03/08/2005		EXAMINER		
SQUIRE, SANDERS & DEMPSEY L.L.P.			NGUYEN, THANH		
14TH FLOOR					
8000 TOWERS CRESCENT			ART UNIT	PAPER NUMBER	
TYSONS COR	TYSONS CORNER, VA 22182			2144	
			DATE MAIL ED: 03/08/2004	<u>.</u>	

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)
	10/615,347	LIUHTO ET AL.
Office Action Summary	Examiner	Art Unit
	Tammy T Nguyen	2144
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence address
A SHORTENED STATUTORY PERIOD FOR REPLY THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a reply If NO period for reply is specified above, the maximum statutory period w Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	i6(a). In no event, however, may a reply be tin within the statutory minimum of thirty (30) day rill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	nely filed s will be considered timely. the mailing date of this communication. D (35 U.S.C. § 133).
Status .		
1) Responsive to communication(s) filed on 09 Ju	<u>ly 2003</u> .	
2a) This action is FINAL 2b) ☑ This	action is non-final.	
3) Since this application is in condition for allowant closed in accordance with the practice under <i>E</i>	·	
Disposition of Claims		
4) ☐ Claim(s) 1-15 is/are pending in the application. 4a) Of the above claim(s) is/are withdraw 5) ☐ Claim(s) is/are allowed. 6) ☐ Claim(s) 1-15 is/are rejected. 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction and/or	vn from consideration.	
Application Papers		
9) The specification is objected to by the Examine	r	
10) The drawing(s) filed on is/are: a) acce	epted or b) objected to by the I	Examiner.
Applicant may not request that any objection to the		
Replacement drawing sheet(s) including the correcting 11) The oath or declaration is objected to by the Expression 11.	•	•
Priority under 35 U.S.C. § 119		,
 12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of: 1. Certified copies of the priority documents 2. Certified copies of the priority documents 3. Copies of the certified copies of the prior application from the International Bureau * See the attached detailed Office action for a list of 	s have been received. s have been received in Applicati ity documents have been receive (PCT Rule 17.2(a)).	on No ed in this National Stage
Attachment(s)		
Notice of References Cited (PTO-892)	4) Interview Summary	
2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date 7/9/03.	Paper No(s)/Mail Da 5) Notice of Informal P 6) Other:	ate : ratent Application (PTO-152)



UNITED STATES PATENT AND TRADEMARK OFFICE

COMMISSIONER FOR PATENTS
UNITED STATES PATENT AND TRADEMARK OFFICE
WASHINGTON, D.C. 2023I
www.uspto.gov

Detailed Office Action

- 1. This action is in response to the application 10/615,347 filed. July 9, 2003.
- 2. Claims 1-15 have been examined.

Specification

The title of the invention is not descriptive. A new title is required that is clearly indicative of the invention to which the claims are directed.
 Appropriate correction is required.

Claim Rejections - 35 USC § 102

4. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- 5. Claims 1-15 are rejected under 35 U.S.C. 102(b) as being anticipated by Bhatia et al. (USPN 6,118,768 Date of Patent: September 12, 2000, herein referred to as "Bhatia").

Application/Control Number: 10/615,347

Art Unit: 2144

Page 3

- 6. As to claim 1, Bhatia teaches the invention as claimed, including system for transmitting internal messages in a local network while maintaining message synchronism, comprising: multiple sending computer units (CPUs), each for running at least one sending application process for sending an internal message, said message being sent to two or more recipients (user 7-10 of fig.2C) (see col.11, lines 1-58, and col.12, line 65 to col.13, line 63), and multiple receiving computer units (CPUr), each for running at least one receiving application process for receiving a sent internal message, at least two copies of each receiving application process residing in said receiving computer units (fig.2C) (see col.11, lines 1-58), characterized in, that the system further comprises: one interface unit (IF) per one or more computer units for buffering and relaying messages sent to and from the corresponding computer units (it is inherent because every device network has to have Interface Unit), multiple external links (SrL), each for linking a computer unit to its corresponding interface unit (links from 10g-10j connect to Lan 300 of fig.2C) (see col.26, lines 49-65), and an internal interconnecting device (IxD) for receiving messages relayed by the interface units corresponding to the sending computer units, and for forwarding each received message to the interface units corresponding to the respective receiving computer units one received message at a time, said interconnecting device internally coupled with the interface units (Ethernet Hub 340 of fig.1) (see col.16, lines 8-25).
- 7. As to claim 2, Bhatia teaches the invention as claimed, characterized in that each interface unit further comprises: a transmitting buffer (TX) for storing one or more

message to be sent until processed by the interconnecting device, and a receiving buffer (RX) for storing one or more received messages until processed by the corresponding computer unit (see col.27, lines 27-62).

- 8. As to claim 3, Bhatia teaches the invention as claimed, characterized in that messages are sent as multicasts by the sending application process (see col.36, lines 6-38).
- 9. As to claim 4, Bhatia teaches the invention as claimed, characterized in that messages sent and received by application processes running in the same computer unit are routed via the interconnecting device (router 305 of fig.1).
- 10. As to claim 5, Bhatia teaches the invention as claimed, characterized in that the interconnecting device is an internal bus (Bus 390 of fig.3) (see col.15, lines 25-63).
- 11. As to claim 6, Bhatia teaches the invention as claimed, characterized in that the interconnecting device is a crossbar (it is inherent because when have switch in the network the switch should be switched in so many different cross ways).
- 12. As to claim 7, Bhatia teaches the invention as claimed, characterized in that the interconnecting device and the interface units coupled to it are implemented as a modified LAN switch (see col.17, lines 20-39).
- 13. As to claim 8, Bhatia teaches the invention as claimed, including system for transmitting internal messages in a local network while maintaining message synchronism, comprising: multiple sending computer units (CPUs), each for running at least one sending application process for sending an internal message, said message being sent to two or more recipients (user 7-10 of fig.2C) (see col.11, lines 1-58, and col.12, line 65 to col.13, line 63), and multiple receiving computer units (CPUr), each for running at least

Application/Control Number: 10/615,347

Art Unit: 2144

one receiving application process for receiving a sent internal message, at least two copies of each receiving application process residing in said receiving computer units (fig.2C) (see col.11, lines 1-58), characterized in, that the system further comprises: one interface unit (IF) per one or more computer units for buffering and relaying messages sent to and from the corresponding computer units (it is inherent because every device network has to have Interface Unit), multiple external links (SrL), each for linking a computer unit to its corresponding interface unit (links from10g-10j connect to Lan 300 of fig.2C) (see col.26, lines 49-65), and an internal interconnecting device (IxD) for receiving messages relayed by the interface units corresponding to the sending computer units, and for forwarding each received message to the interface units corresponding to the respective receiving computer units one received message at a time, said interconnecting device internally coupled with the interface units (Ethernet Hub 340 of fig.1) (see col.16, lines 8-25).

Page 5

- 14. As to claim 9, Bhatia teaches the invention as claimed, characterized in that each interface unit further comprises: a transmitting buffer (TX) for storing one or more message to be sent until processed by the interconnecting device, and a receiving buffer (RX) for storing one or more received messages until processed by the corresponding computer unit (see col.27, lines 27-62).
- 15. As to claim 10, Bhatia teaches the invention as claimed, characterized in that messages are sent as multicasts by the sending application process (see col.36, lines 6-38).

Page 6

16. As to claim 11, Bhatia teaches the invention as claimed, characterized in that messages sent and received by application processes running in the same computer unit are routed via the interconnecting device (router 305 of fig.1).

- 17. As to claim 12, Bhatia teaches the invention as claimed, characterized in that the interconnecting device is a crossbar (it is inherent because when have switch in the network the switch should be switched in so many different cross ways).
- 18. As to claim 13 Bhatia teaches the invention as claimed, characterized in that the interconnecting device is an internal bus (Bus 390 of fig.3) (see col.15, lines 25-63).
- 19. As to claim 14, Bhatia teaches the invention as claimed, characterized in that the interconnecting device and the interface units coupled to it are implemented as a modified LAN switch (see col.17, lines 20-39).
- 20. As to claim 15, Bhatia teaches the invention as claimed, characterized in that a multiplexer unit is connected to an interface unit via another multiplexer unit (col.20, line 51 to col.21, line 5).

Conclusion

21. Any inquiries concerning this communication or earlier communications from the examiner should be directed to **Tammy T. Nguyen** who may be reached via telephone at (571) 272-3929. The examiner can normally be reached Monday through Friday between 8:00 a.m. and 5:00 p.m. eastern standard time.

If you need to send the Examiner, a facsimile transmission regarding this instant application, please send it to (703) 872-9306. If attempts to reach the examiner by

telephone are unsuccessful, the Examiner's Supervisor, Bill Cuchlinski, may be reached at (571) 272-3925.

TTN March 2, 2005

WILLIAM A. CUCHLINSKI, JR. SUPERVISORY PATENT EXAMINER TECHNOLOGY CENTER 3400